



TIR PROMIMPEK





,

,

..

-

.

,

,

-

,

.

,

,

..

NG6 NG10




=6,10 ()




=6,10 ()


		KVNG 6	KVNG 10
P,A,B	P,A,B	315	315
	T	160	160
/		60	120
		-20...+70°	-20...+70°

()






NG6



NG6



NG10

KVNG X-XX-XXX

X - =6 =10
XX - (1,2,3,6,51 ,51)
XXX -

12 - 12
 24 - 24
 110 - 110
 220 - 220



LPKV

LPKV



LPKV:

LPKV

10 50

25

— 20 70°C.





	LPKV 6	LPKV 10
· , ·	315	315
· /	60	100
	-20...+70°	-20...+70°
,	0...100 0...315	0...100 0...315
	P,A B	P,A B

LPKV X-XX-XXX

X -

=6 =10

XX -

**-
D-**

XXX -

**100-
315-**

**0...100
0...315**



()-

,

.


,

.



	APKV 6	APKV 10
• , •	315	315
• /	50	80
	-20...+70°	-20...+70°
,	1,5	1
	1:3,6	


Пример монтажа



PKV X-D

X - =6 =10
D - (

()






76...254
 “ ” G3/4",G 3/8",G 1",G1 1/4"
 125 micron, 32...500 / , G1/2"...3"
 50...500 / , G1/2"...1 1/2"
(FITA, FR) 10,25,125 micron



PTK ПРМММПККС

3

: +38 (061) 286-90-63
: +38 (061) 220-28-17, 270-37-62
E-mail : promimp@mail.ru
: www.promimp.com.ua



<p>-3 http://promimp.com.ua</p>	<p>(061)286-90-68 (061)286-90-63 (061)220-28-17</p>
---	---